



# THE WOMEN UNIVERSITY MULTAN

## TECHNICAL EVALUATION REPORT KNOCKDOWN CRITERIA FOR THE PURCHASE OF CHEMICALS & GLASSWARES AGAINST TENDER NO. 04/2020-21

Description	Total Marks	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
<b>MANDATORY REQUIREMENTS</b>						
Authority Letter for Chemicals	<b>Mandatory</b>	Duksan Pure Chemicals	Quoted only Glasswares items	Daejung, Scharlab S.L., Acros Organics, Maybridge, Alfa Aesar, Fisher Chemicals and BioReagents) Kartell, Oxoid, Remel, Wuxi Nest, Corning, Costar, Axygen, Falcon, Mediatech, Pyrex and Corning	ThermoFisher (Invitrogen, Gibco), BioSeen, PhytoTech, Carl Roth GmbH, Bioplastics, Wuxi Nest Biotechnology	Bio Basic Canada
Proof of Registration of Business		✓	✓	✓	✓	✓
Valid Income Tax Registration (Status = Active with FBR)		✓	✓	✓	✓	✓
Valid GST / PST Registration (Status = Active with FBR)		✓	✓	✓	✓	✓
Submission of undertaking on legal valid and attested stamp paper that of (Annex-A)		✓	✓	✓	✓	✓
Submission of Certificates (Annex-B) on letterhead pad		✓	✓	✓	✓	✓
Technical Proposal on the company letter head duly signed and stamped		✓	✓	✓	✓	✓
Minimum Three Years relevant experience (Firm must attach supply order as a proof with the technical bid)		✓	✓	✓	✓	✓
<b>TECHNICAL EVALUATION CRITERIA (MINIMUM OF 75% MARKS WOULD BE DECLARED TECHNICALLY ACCEPTED)</b>						
Technical Specification of Product	65	(marks sheet attached)				
Age of Company/Firm (01 year & above = 05)	05	05	5	05	05	05
Financial strength of the vender (Funds equal to estimated price on closing date = 05)	05	0	0	0	0	0
H.R. Strength (For Relevant Technical Staff = 05)	05	05	05	0	05	0
On site back up support	05	05	05	05	05	05

# THE WOMEN UNIVERSITY MULTAN

Description	Total Marks	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
<b>Relevant experience</b>	<b>10</b>	<b>02</b>	<b>04</b>	<b>02</b>	<b>02</b>	<b>04</b>
3 years & above = 2						
4 years & above = 4						
5 years & above = 6						
6 years & above = 8						
7 years & above = 10						
Certified Engineer	05	0	0	0	05	0
<b>Total Marks</b>	<b>100</b>	<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>

*Misbah*

**Dr. Misbah Mirza**  
PI of NRPV Project Deptt of Physics  
The Women University, Multan  
(Tech. Expert / Enduser)

*Nahid*

**Dr. Nahid Kausar**  
The Women University Multan  
(Member)

*Mamoona*

**Dr. Mamoona Noreen**  
PI of NRPV Project Deptt of Zoology  
The Women University, Multan  
(Tech. Expert / Enduser)

*Qadir*

**Syed Rehan Qadir**  
Assistant Treasurer (Purchase)  
The Women University Multan  
(Secretary)

*Asmat*

**Prof. Dr. Asmat Naz**  
(Professor, History & Pak Studies Dept.)  
The Women University, Multan  
(Chairperson)



# THE WOMEN UNIVERSITY MULTAN

MARKS AWARDED BY THE TECHNICAL EXPERTS / ENDUSER IN THE LIGHT OF TECHNICAL EVALUATION CRITERIA GIVEN IN THE BIDDING DOCUMENTS  
FOR THE PURCHASE OF CHEMICALS & GLASSWARES AGAINST TENDER NO. 04/2020-21

Sr. No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
<b>CHEMICALS</b>									
1.	PH-NR-1	Silver nitrate	100G	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					82	19	77	22	79
2.	PH-NR-2	Zirconyl chloride	100G	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					17	19	12	22	14
3.	PH-NR-3	Sodium sulfide	100G	1	65	N.Q.	65	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					82	19	77	22	14
4.	PH-NR-4	Calcium nitrate	100G	1	0 Rejected (non availability of valid authority letter)	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					17	19	77	22	79
5.	PH-NR-5	Gloves/disposable	1PKT	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					17	19	12	22	14
6.	PH-NR-6	Ethylene glycol	2.5L	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					82	19	77	22	79
7.	PH-NR-7	Acetic acid	2.5L	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					82	19	77	22	79
8.	PH-NR-8	KMnO4	100G	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					17	19	12	22	79

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
9.	PH-NR-9	HNO3	2.5L	1	65	N.Q.	65	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>14</b>
10.	PH-NR-10	HCl	2.5L	1	65	N.Q.	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
11.	PH-NR-11	Ammonia solution	2.5L	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
12.	PH-NR-12	H2SO4	2.5L	1	65	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
13.	PH-NR-13	Ethylenediamine	100ML	1	0 Rejected (non availability of valid authority letter)	N.Q.	65	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>14</b>
14.	PH-NR-14	Anthraquinone dye	50G	1	N.Q.	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
15.	PH-NR-15	Azo dye	50G	1	N.Q.	N.Q.	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
16.	PH-NR-16	Methylene blue	25G	1	65	N.Q.	65	0 Rejected (non availability of valid authority letter)	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
17.	PH-NR-17	Malachite green	25G	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
18.	PH-NR-18	Triarylmethan dye	25G	1	N.Q.	N.Q.	65	N.Q.	N.Q.
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>22</b>	

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
19.	PH-NR-19	Alizarin red S dye	5G	1	0 Rejected (non availability of valid authority letter)	N.Q.	Rejected (Not as per tender specifications, Required packing was 5G instead of 25g)	N.Q.	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
20.	PH-NR-20	Reactive Yellow dye	10ML	1	N.Q.	N.Q.	N.Q.	N.Q.	N.Q.
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
21.	PH-NR-21	Azorubin S	50G	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
22.	PH-NR-22	Acrylamide	500G	1	65	N.Q.	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>87</b>	<b>79</b>
23.	PH-NR-23	Polyacrylamide	5G	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
24.	PH-NR-24	Ethanol	2.5L	1	65	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
25.	PH-NR-25	Magnetic stirrer(5)		1	0 Rejected (non availability of valid authority letter)	N.Q.	65	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>14</b>
26.	PH-NR-26	NaOH	1KG	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
27.	PH-NR-27	Sodium nitrate	1KG	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
28.	PH-NR-28	Sodium carbonate	1KG	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
29.	PH-NR-29	Silver wire, diam. 0.5 mm, ≥99.99% trace metals	100CM	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
30.	PH-NR-30	Aluminum wire, diam. 0.58 mm, ≥99.99% trace metals	100cm	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
31.	PH-NR-31	Hydrazine	1KL	1	65	N.Q.	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
32.	PH-NR-32	pH paper	1Pkt	1	0 Rejected (non availability of valid authority letter)	N.Q.	0 Rejected (non availability of valid authority letter)	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
33.	PH-NR-33	Aluminium foil	4Pkt	1	0 Rejected (non availability of valid authority letter)	N.Q.	0 Rejected (non availability of valid authority letter)	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
34.	PH-NR-34	Sample test tubes with lid glass	4	1	0 Rejected (non availability of valid authority letter)	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>
35.	PH-NR-35	Sample container glass, 100ml)		1	N.Q.	N.Q.	N.Q.	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>14</b>

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
36.	ZO-NR-1	Hydrochloric acid	ltr	1	Rejected (Due to GR 37%)	N.Q.	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>79</b>
37.	ZO-NR-2	40% gel solution	ltr	1	N.Q.	N.Q.	N.Q.	65	N.Q.
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
38.	ZO-NR-3	Tris base (C4H11NO3)	500g	1	65	N.Q.	65	Rejected (Not as per tender specifications)	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
39.	ZO-NR-4	Boric acid (Scharalau, Barcelona, Spain)	kg	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
40.	ZO-NR-5	Ethlenediaminetetraacetic acid (EDTA)	500g	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
41.	ZO-NR-6	Sodium dodecyl sulfate (SDS) NaC12H25SO4	kg	1	65	N.Q.	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>87</b>	<b>79</b>
42.	ZO-NR-7	Triton X 100	ltr	1	65	N.Q.	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>87</b>	<b>79</b>
43.	ZO-NR-8	Ammonia persulfate (APS)	kg	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
44.	ZO-NR-9	Chloroform	2.5 ltr	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>79</b>
45.	ZO-NR-10	3MM whatman filter paper	Pack	1	0 Rejected (non availability of valid authority letter)	N.Q.	0 Rejected (non availability of valid authority letter)	N.Q.	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>22</b>	<b>14</b>
46.	ZO-NR-11	Tween-20	ltr	1	65	N.Q.	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>82</b>	<b>79</b>

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
47.	ZO-NR-12	Mgd2	kg	1	65	N.Q.	0 Rejected (non availability of valid authority letter)	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>12</b>	<b>17</b>	<b>79</b>
48.	ZO-NR-13	Tetra-ethylethylene-diamine (TEMED)	100 ml	1	0 Rejected (non availability of valid authority letter)	N.Q.	65	0 Rejected (non availability of valid authority letter)	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>17</b>	<b>79</b>
49.	ZO-NR-14	Glycine	kg	1	65	N.Q.	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>19</b>	<b>77</b>	<b>17</b>	<b>79</b>
50.	ZO-NR-15	TRIZOL Reagent	100 ml	1	N.Q.	N.Q.	N.Q.	65	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>79</b>
51.	ZO-NR-16	Radioimmunoprecipitation Assay (RIPA) Buffer	50 ml	1	N.Q.	N.Q.	N.Q.	0 Rejected (Not as per tender specifications)	0 Rejected (Not as per tender specifications)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>17</b>	<b>79</b>
52.	ZO-NR-17	PBS Tablets	pckt of 100	1	0 Rejected (non availability of valid authority letter)	N.Q.	65	65	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>79</b>
53.	ZO-NR-18	SYBR green PCR master mix	Rxn 200	1	N.Q.	N.Q.	N.Q.	65	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
54.	ZO-NR-19	Prestained protein marker	500 ul	1	N.Q.	N.Q.	N.Q.	65	N.Q.
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
55.	ZO-NR-20	MTT reagent (3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyl-tetrazolium bromide)	gm	1	N.Q.	N.Q.	65	65	65



# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>77</b>	<b>87</b>	<b>79</b>
56.	ZO-NR-21	MMP-2 Antibody (8B4): sc-13595 200µg/ml	vial	1	N.Q.	N.Q.	N.Q.	65	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
57.	ZO-NR-22	CD34 Antibody (B-6): sc-74499	vial	1	N.Q.	N.Q.	N.Q.	65	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
58.	ZO-NR-23	cyclin D1 Antibody (A-12): sc-8396 200µg/ml	vial	1	N.Q.	N.Q.	N.Q.	65	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
59.	ZO-NR-24	β-Actin Antibody (C4): sc-47778 200µg/ml	vial	1	N.Q.	N.Q.	N.Q.	65	0 Rejected (non availability of valid authority letter)
<b>TOTAL MARKS</b>					<b>17</b>	<b>19</b>	<b>12</b>	<b>87</b>	<b>14</b>
<b>GLASSWARES</b>									
60.	ZO-NR-25	Cell culture T flask 25	Nos	100	N.Q.	65	65	65	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
61.	ZO-NR-26	Cell culture T flask 75	Nos	100	N.Q.	65	65	65	65
<b>TOTAL MARKS</b>					<b>17</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
62.	ZO-NR-27	96 well cell culture plastic plate	Nos	50	65	65	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
63.	ZO-NR-28	96 well clear bottom plastic plate	Nos	50	65	65	65	Rejected (Irrelevant Specs)	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>22</b>	<b>79</b>
64.	ZO-NR-29	10ml pipettes	Nos	500	65	65	65	N.Q.	65

*Handwritten:* AB F-2

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>22</b>	<b>79</b>
65.	ZO-NR-30	5ml glass pipettes	Nos	500	65	65	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>22</b>	<b>79</b>
66.	ZO-NR-31	Plastic rubber filler for 5ml pipette	Nos	2	65	65	65	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>22</b>	<b>79</b>
67.	ZO-NR-32	Rubber head for Glass pasteur pipette	Nos	10	65	65	N.Q.	N.Q.	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>12</b>	<b>22</b>	<b>79</b>
68.	ZO-NR-33	Falcon tubes (50ml)	Nos	300	65	65	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
69.	ZO-NR-34	Falcon tubes (15ml)	Nos	200	65	65	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
70.	ZO-NR-35	Falcon tubes rack	Nos	8	65	65	65	Rejected (Dual Quoted, Violation of PPR-2014 Clause No. 36A)	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>22</b>	<b>79</b>
71.	ZO-NR-36	Gloves (medium)	Box	5	65	65	N.Q.	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>12</b>	<b>87</b>	<b>79</b>
72.	ZO-NR-37	Eppendorf tubes	Pack of 1000	3	65	65	65	Rejected (Dual Quoted, Violation of PPR-2014 Clause No. 36A)	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>22</b>	<b>79</b>
73.	ZO-NR-38	PCR tubes (0.5ml)	Pack of 1000	2	65	65	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
74.	ZO-NR-39	Micropipette tips (1000µl) blue tip	Pack of 1000	4	65	65	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
75.	ZO-NR-40	Micropipette tips (200µl) yellow tip	Pack of 1000	4	65	65	65	65	65
<b>TOTAL MARKS</b>					<b>82</b>	<b>84</b>	<b>77</b>	<b>87</b>	<b>79</b>
76.	ZO-NR-41	Micropipette tips (20µl) with tip	Pack of 1000	6	65	65	65	Rejected (Required tip was 20µl instead of 10µl)	65

# THE WOMEN UNIVERSITY MULTAN

No.	Item Code	Item Name	UNIT / Packing	Qty. Required	M/S AK Traders	M/S Wahid Scientific Store	M/S Musaji Adam & Sons	M/S Worldwide Scientific	M/S Usman Lab. Traders
<b>TOTAL MARKS</b>					82	84	77	22	79
77.	ZO-NR-42	Storage rack	Nos	10	N.Q.	65	N.Q.	65	65
<b>TOTAL MARKS</b>					17	84	12	87	79
78.	ZO-NR-43	Eppendorf tues rack	Nos	5	N.Q.	65	65	65	65
<b>TOTAL MARKS</b>					17	84	77	87	79
79.	ZO-NR-44	PCR tubes rack	Nos	4	N.Q.	65	65	65	65
<b>TOTAL MARKS</b>					17	84	77	87	79
80.	ZO-NR-45	Aluminium foil	Nos	2	65	65	65	N.Q.	65
<b>TOTAL MARKS</b>					82	84	77	22	79
81.	ZO-NR-46	Plastic raping sheet	Nos	1	N.Q.	65	65	N.Q.	65
<b>TOTAL MARKS</b>					17	84	77	22	79

Firms scoring minimum of 75% marks (total 75 marks) would be declared technically accepted as per Technical Evaluation Criteria mentioned in the bidding documents . The reasons for rejection / Non responsive are mentioned against the item.

*Misbah*

**Dr. Misbah Mirza**  
PI of NRPU Project Deptt of Physics  
The Women University, Multan  
(Tech. Expert / Enduser)

*Nahid*

**Dr. Nahid Kausar**  
The Women University Multan  
(Member)

*Mamoona*

**Dr. Mamoona Noreen**  
PI of NRPU Project Deptt of Zoology  
The Women University, Multan  
(Tech. Expert / Enduser)

*Qadir*

**Syed Rehan Qadir** 13-10-2020  
Assistant Treasurer (Purchase)  
The Women University Multan  
(Secretary)

*Asmat*

**Prof. Dr. Asmat Naz**  
(Professor, History & Pak Studies Dept.)  
The Women University, Multan  
(Chairperson)